

## Contents of *Aquaculture*, Volume 232

VOL. 232 NOS. 1–4

5 April 2004

### Diseases

- Seabream (*Sparus aurata* L.): disposition of amoxicillin after single intravenous or oral administration and multiple dose depletion studies  
G. della Rocca (Perugia, Italy), A. Zaghini, R. Zanoni, V. Sanguinetti (Bologna, Italy), S. Zanchetta (Udine, Italy), A. Di Salvo and J. Malvisi (Perugia, Italy) ..... 1
- Pharmacokinetics of oxytetracycline in the white shrimp, *Litopenaeus setiferus*  
L.A. Reed, T.C. Siewicki and J.C. Shah (Charleston, SC, USA) ..... 11
- Infestation of the abalone, *Haliotis midae*, by the sabellid, *Terebrasabella heterouncinata*, under intensive culture conditions, and the influence of infestation on abalone growth  
C.A. Simon, H. Kaiser and P.J. Britz (Grahamstown, South Africa) ..... 29
- A comparison of sea louse (*Lepeophtheirus salmonis*) infection levels in farmed and wild Atlantic salmon (*Salmo salar* L.) stocks  
K.A. Glover, L.A. Hamre, Ø. Skaala and F. Nilsen (Bergen, Norway) ..... 41
- The disposition of enrofloxacin in seabream (*Sparus aurata* L.) after single intravenous injection or from medicated feed administration  
G. della Rocca, A. Di Salvo, J. Malvisi (Perugia, Italy) and M. Sello (Basaldella di Campoformido (UD), Italy) ..... 53
- Prevalence of monodon baculovirus in wild *Metapenaeus* species along the southwest coast of India  
S. Manivannan, B. Kennedy, I. Karunasagar and I. Karunasagar (Mangalore, India) ..... 63
- Atypical furunculosis in spotted wolffish (*Anarhichas minor* O.) juveniles: bath vaccination and challenge  
R.N. Grøntvedt, V. Lund and S. Espelid (Tromsø, Norway) ..... 69
- Distribution of luminous bacteria in semi-intensive penaeid shrimp hatcheries of Tamil Nadu, India  
T.J. Abraham (Tuticorin, India) and R. Palaniappan (Tamil Nadu, India) ..... 81
- Effects of the bloom-forming alga *Trichodesmium erythraeum* on the pearl oyster *Pinctada maxima*  
A.P. Negri (Townsville, MC, Australia), O. Bunter (Yokine, WA, Australia), B. Jones (South Perth, Australia) and L. Llewellyn (Townsville, MC, Australia) ..... 91
- Effect of dissolved oxygen on the immune response of *Haliotis diversicolor supertexta* and its susceptibility to *Vibrio parahaemolyticus*  
W. Cheng, C.-H. Li (Pingtung, Taiwan, ROC) and J.-C. Chen (Keelung, Taiwan, ROC) ..... 103
- Chronic ammonia toxicity to duckweed-fed tilapia (*Oreochromis niloticus*)  
S.A. El-Shafai, F.A. El-Gohary, F.A. Nasr (Dokki, Egypt), N.P. van der Steen and H.J. Gijzen (Delft, The Netherlands) ..... 117
- Effects of different water treatment methods and antibiotic addition on larval survival and gut microflora development in Atlantic halibut (*Hippoglossus hippoglossus* L.) yolk-sac larvae  
D.W. Verner-Jeffreys (Glasgow, UK), R.J. Shields (Argyll, UK), I.R. Bricknell (Aberdeen, UK) and T.H. Birkbeck (Glasgow, UK) ..... 129
- Antibacterial activity of tilapia *Tilapia hornorum* against *Vibrio harveyi*  
E.A. Tendencia, M.R. dela Peña, A.C. Fermin, G. Lio-Po, C.H. Choresca Jr. and Y. Inui (Tigbauan, Philippines) ..... 145

Effects of the gill parasite <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae) on the amberjack <i>Seriola dumerili</i> Risso (Teleostei: Carangidae) F.E. Montero (Valencia, Spain), S. Crespo, F. Padrós (Barcelona, Spain), F. De la Gándara, A. García (Murcia, Spain) and J.A. Raga (Valencia, Spain) . . . . .	153
<b>Genetics</b>	
Estimation of parentage and relatedness in the polyploid white sturgeon ( <i>Acipenser transmontanus</i> ) using a dominant marker approach for duplicated microsatellite loci J.A. Rodzen (Rancho Cordova, CA, USA), T.R. Famula and B. May (Davis, CA, USA) . . . . .	165
Sex differentiation and hormonal sex reversal in the bagrid catfish <i>Pseudobagrus fulvidraco</i> (Richardson) I.-S. Park (Busan, Korea), J.-H. Kim (Taejon, South Korea), S.H. Cho (Busan, Korea) and D.S. Kim (Busan, South Korea) . . . . .	183
A preliminary genetic map of walking catfish ( <i>Clarias macrocephalus</i> ) S. Poompuang and U. Na-Nakorn (Bangkok, Thailand) . . . . .	195
Sex ratios in the progeny of androgenetic and gynogenetic YY male Nile tilapia, <i>Oreochromis niloticus</i> L. M. Tariq Ezaz, J.M. Myers, S.F. Powell, B.J. McAndrew and D.J. Penman (Stirling, UK) . . . . .	205
Artificial interspecific hybridization between <i>Macrobrachium</i> species H. Fu (Wuxi, Wuhan, Beijing, PR China), Y. Gong, Y. Wu, P. Xu (Wuxi, PR China) and C. Wu (Wuhan, PR China) . . . . .	215
<b>Husbandry and Management</b>	
Quality traits of brown trout ( <i>Salmo trutta</i> ) cutlets described by automated color image analysis P. Marty-Mahé, P. Loisel, B. Fauconneau, P. Haffray, D. Brossard and A. Davenel (Rennes, France) . . . . .	225
Preliminary and mass culture experiments on a heterotrichous ciliate, <i>Fabrea salina</i> B.D. Pandey and S.G. Yeragi (Mumbai, India) . . . . .	241
Salt diffusion in pre-rigor filleted Atlantic salmon A.M.B. Rørå, R. Furuhøi, S.O. Fjæra and P.O. Skjervold (Ås-NLH, Norway) . . . . .	255
Accumulation and clearance of the anaesthetics clove oil and AQUI-S <sup>TM</sup> from the edible tissue of silver perch ( <i>Bidyanus bidyanus</i> ) M.A. Kildea (Canberra, ACT, Australia), G.L. Allan (Taylors, Beach, NSW, Australia) and R.E. Kearney (Canberra, ACT, Australia) . . . . .	265
Impact of nutrition and season on pond culture performance of mono-sex and mixed-sex Nile tilapia ( <i>Oreochromis niloticus</i> ) D.C. Little (Pathum, Thani, Thailand, Stirling, UK) and P. Edwards (Pathum Thani, Thailand) . . . . .	279
Preliminary study on chemical and physical principles of astaxanthin sorption to fish scales towards applicability in fisheries waste management P. Stepnowski (Gdańsk, Poland), G. Ólafsson, H. Helgason (Reykjavik, Iceland) and B. Jastorff (Bremen, Germany) . . . . .	293
Gonadal development, spawning, growth and survival of the crayfish <i>Procambarus llamas</i> at three different water temperatures C. Carmona-Osalde (Mérida, Mexico), M. Rodríguez-Serna (Ciudad del Carmen, Mexico), M.A. Olvera-Novoa (Mérida, Mexico) and P.J. Gutierrez-Yurrita (Querétaro, Mexico) . . . . .	305
The effect of competition on the feeding efficiency and feed handling behaviour in gilthead sea bream ( <i>Sparus aurata</i> L.) held in tanks J.E. Andrew (Glasgow, UK), J. Holm (Brande, Denmark), S. Kádri and F.A. Huntingford (Glasgow, UK) . . . . .	317
Effects of anaesthesia and vaccination on feed intake and growth in Atlantic salmon ( <i>Salmo salar</i> L.) U. Sorum and B. Damsgård (Tromsø, Norway) . . . . .	333
The effect of photoperiod and temperature on the reproduction of European sea urchin <i>Paracentrotus lividus</i> M. Shpigiel (Eilat, Israel), S.C. McBride (Eureka, CA, USA), S. Marciano and I. Lupatsch (Eilat, Israel) . . . . .	343

Bacterial decontamination of on-grown *Artemia*

- A. Tolomei, C. Burke (Launceston, Tas., Australia), B. Crear (Hobart, Tas., Australia; Western Australia, Australia) and J. Carson (Launceston, Tas., Australia) ..... 357
- Optimal salinity and temperature for early developmental stages of *Penaeus merguensis* De man  
S. Zacharia and V.S. Kakati (Cochin, India) ..... 373
- Nursery rearing of jundiá, *Rhamdia quelen* (Quoy & Gaimard) in cages: cage type, stocking density and stress response to confinement  
L.J.G. Barcellos, L.C. Kreutz, R.M. Quevedo, I. Fioreze, L. Cericato, A.B. Soso, M. Fagundes, J. Conrad, R.K. Baldissera, A. Bruschi and F. Ritter (Caixa, Postal, Brazil) ..... 383
- Physical changes in brown tiger shrimp (*Penaeus esculentus*) condition when reared at high-densities and their capacity for recovery  
M.J. Sellars, S.J. Arnold, P.J. Crocos and G.J. Coman (Cleveland, Queensland, Australia) ..... 395
- Osteological development of the vertebral column and of the fins in *Pagellus erythrinus* (L. 1758).  
Temperature effect on the developmental plasticity and morpho-anatomical abnormalities  
D.G. Sfakianakis, G. Koumoundouros, P. Divanach and M. Kentouri (Iraklio, Crete, Greece) ..... 407
- A parsimonious AUC-based biokinetic method to estimate relative bioavailable zinc to abalone *Haliotis diversicolor supertexta*  
C.-M. Liao, B.-C. Chen, J.-W. Tsai, J.-W. Chen, M.-P. Ling and Y.-H. Chou (Taipei, Taiwan, ROC) ..... 425
- The effect of periphyton substrate density on production in freshwater polyculture ponds  
M.E. Azim (Saitama, Japan), M.A. Wahab, P.K. Biswas (Mymensingh, Bangladesh), T. Asaeda, T. Fujino (Saitama, Japan) and M.C.J. Verdegem (Wageningen, Netherlands) ..... 441

## Nutrition

- Ontogenetic development of the digestive system in California halibut (*Paralichthys californicus*) with notes on feeding practices  
E. Gisbert (Davies, CA, USA; Tarragano, Australia), R.H. Piedrahita (Davis, CA, USA) and D.E. Conklin (Tarragona, Spain) ..... 455
- The effect of pellet texture on the feeding behaviour of gilthead sea bream (*Sparus aurata* L.)  
J.E. Andrew (Glasgow, UK), J. Holm (Brande, Denmark) and F.A. Huntingford (Glasgow, UK) ..... 471
- Macronutrient selection by sharp snout seabream (*Diplodus puntazzo*)  
M.T. Atienza, S. Chatzifotis and P. Divanach (Heraklion, Greece) ..... 481
- Protein growth performance, amino acid utilisation and somatotrophic axis responsiveness to fish meal replacement by plant protein sources in gilthead sea bream (*Sparus aurata*)  
P. Gómez-Requeni, M. Mingarro, J.A. Calduch-Giner (Castellón, Spain), F. Médale (Saint-Pée-sur-Nivelle, France), S.A.M. Martin, D.F. Houlihan (Aberdeen, UK), S. Kaushik (Saint-Pée-sur-Nivelle, France) and J. Pérez-Sánchez (Castellón, Spain) ..... 493
- Comparison of growth of mussel, *Mytilus edulis*, on longline, pole and bottom culture sites in the Peruis Breton, France  
P. Garen, S. Robert and S. Bougrier (L' Houmeau, France) ..... 511
- The contribution of flocculated material to shrimp (*Litopenaeus vannamei*) nutrition in a high-intensity, zero-exchange system  
M.A. Burford, P.J. Thompson (Cleveland, Queensland, Australia), R.P. McIntosh, R.H. Bauman (Belize City, Belize) and D.C. Pearson (Hamilton, Queensland, Australia) ..... 525
- Antagonistic effects of branched-chain amino acids induced by excess protein-bound leucine in diets for rainbow trout (*Oncorhynchus mykiss*)  
T. Yamamoto, T. Shima and H. Furuta (Tamaki, Mie, Japan) ..... 539
- Are modifications in tissue fatty acid profiles following a change in diet the result of dilution? Test of a simple dilution model  
M. Jobling (Tromsø, Norway) ..... 551
- Accurate measurement of in vivo digestibility of shrimp feeds  
D.M. Smith and S.J. Tabrett (Cleveland, Australia) ..... 563

**Physiology and Endocrinology**

Early identification of sex in cultured white sturgeon, <i>Acipenser transmontanus</i> , using plasma steroid levels G. Feist (Corvallis, OR, USA), J.P. Van Eenennaam, S.I. Doroshov (Davis, CA, USA), C.B. Schreck (Corvallis, OR, USA), R.P. Schneider (Buhl, ID, USA) and M.S. Fitzpatrick (Portland, OR, USA) . . .	581
Production of a recombinantly derived growth hormone antibody and the characterization of growth hormone levels in yellow perch S. Roberts (Woods Hole, MA, USA), T. Barry, J. Malison (Madison, WI, USA) and F. Goetz (Woods Hole, MA, USA) . . .	591
Mandibular organ: it's relation to body weight, sex, molt and reproduction in the crab, <i>Oziotelphusa senex senex</i> Fabricius (1791) G.P.C. Nagaraju, P.R. Reddy and P.S. Reddy (Tirupati, India) . . .	603
Photoperiodic modulation of metamorphosis in Atlantic halibut ( <i>Hippoglossus hippoglossus</i> L.) J.S. Solbakken (Bergen, Storebø, Norway) and K. Pittman (Bergen, Norway) . . .	613
Susceptibility of the Amazonian fish, <i>Colossoma macropomum</i> (Serrasalminae), to short-term exposure to nitrite O.T. Ferreira da Costa (Manaus, São Carlos, Brazil), D.J. dos Santos Ferreira, F.L. Presti Mendonça (Manaus, Brazil) and M.N. Fernandes (São Carlos, Brazil) . . .	627
Evaluation of egg production and quality in the Mediterranean red porgy ( <i>Pagrus pagrus</i> ) during two consecutive spawning seasons C.C. Mylonas, M. Papadaki, M. Pavlidis and P. Divanach (Iraklion, Greece) . . .	637
Effects of bovine growth hormone (Posilac®) on growth performance, body composition, and IGFbps in two strains of channel catfish B.C. Peterson, B.C. Small and B.G. Besworth (Stoneville, MS, USA) . . .	651
Physiological indicators of divergent stress responsiveness in male striped bass broodstock C. Wang, W. King V and L.C. Woods III (College Park, MD, USA) . . .	665
Effects of nitrite on lethal and immune response of <i>Macrobrachium nipponense</i> W.-N. Wang, A.-L. Wang (Guangzhou, PR China), Y.-J. Zhang, Z.-H. Li, J.-X. Wang (Baoding, PR China) and R.-Y. Sun (Guangzhou, PR China) . . .	679
<b>Contents of Aquaculture, Volume 232</b> . . .	687

